

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE  
BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES**

**APPELLANT'S MAIN BRIEF ON APPEAL  
(SECOND RESUBMITTED)**

5

APPLICANT:	Husung, et al.	DOCKET NO:	P03,0413
SERIAL NO.:	10/675,304	ART UNIT:	2614
FILED:	September 30, 2003	EXAMINER:	Dabney, Phylesha Larvinia
CONF. NO.:	5359		
TITLE:	HEARING AID DEVICE OR HEARING DEVICE SYSTEM WITH A CLOCK GENERATOR		

Mail Stop Appeal Brief-Patents  
Commissioner for Patents  
PO Box 1450  
10 Alexandria, VA 22313-1450

Sir:

15 This Second Resubmitted Appeal Brief is responsive to the Notification of  
Non-Compliant Appeal Brief mailed October 18, 2007. The Appeal Brief was  
deemed to be non-compliant because the Brief does not present an argument  
under a separate heading for each ground of rejection on appeal, and lacked  
copies of the evidence submitted under 37 CFR 1.131. This Resubmitted Appeal  
Brief includes the contents of the prior Appeal Brief, with the required headings.

20 In accordance with the provisions of 37 C.F.R. §41.37, Appellant submits  
this Brief in support of the appeal of the above-referenced application in support  
of the patentability of claims 1-14 finally rejected in the Office Action, dated  
September 6, 2006. A copy of the claims on appeal is attached as Appendix A.  
A Notice of Appeal was filed on March 6, 2007.

## TABLE OF CONTENTS

	IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES .....	1
	APPELLANT'S MAIN BRIEF ON APPEAL (Second Resubmitted).....	1
5	Table of ContentsREAL PARTY IN INTEREST .....	2
	REAL PARTY IN INTEREST .....	4
	RELATED APPEALS AND INTERFERENCES .....	5
	STATUS OF CLAIMS .....	6
	STATUS OF AMENDMENTS.....	7
10	SUMMARY OF THE Claimed Subject Matter.....	8
	Grounds of Rejection to be reviewed on appeal.....	11
	ARGUMENT .....	12
	CONCLUSION .....	23
	APPENDIX A CLAIMS INVOLVED IN THE APPEAL .....	24
15	Appendix B Evidence Appendix Declaration under 37 CFR 1.131 .....	27
	Appendix C Related Proceedings Appendix .....	28

## TABLE OF AUTHORITIES

### Cases

<i>In re Cortright</i> , 165 F.3d 1353, 1359 (Fed. Cir. 1999) .....	18
---	----

**REAL PARTY IN INTEREST**

The real party in interest in this appeal is the assignee, Siemens Audiologische Technik GmbH, a German corporation, by virtue of the Assignment recorded February 17, 2004, at reel/frame 014978 / 0463.

### **RELATED APPEALS AND INTERFERENCES**

There are no related appeals and no related interferences known to Appellant, Appellant's Assignee, or Appellant's legal representative.

### STATUS OF CLAIMS

Claims 1-14 are on appeal, and constitute all pending claims of the application. In the Final Office Action (FOA), in ¶1, the claims were rejected as follows:

Claims / Section	35 U.S.C. Sec.	References / Notes
1-2, 7-8 & 11-14	§102(e) Anticipation	<ul style="list-style-type: none"><li>• Pedersen (U.S. Patent Pub. No. 2004/0247148).</li></ul>
3-6 & 9- 10	§103(a) Obviousness	<ul style="list-style-type: none"><li>• Pedersen (U.S. Patent Pub. No. 2004/0247148).</li></ul>

5

### STATUS OF AMENDMENTS

Amendment D After Final was filed on February 6, 2007, following the final rejection in the September 6, 2006, Office Action. An Advisory Action was mailed on March 16, 2007, and indicated that this amendment did not place the  
5 application in a condition for allowance for a number of reasons. However, the Advisory Action was silent as to whether the amendment would be entered for purposes of appeal, with none of the item 3 or 7 boxes checked.

It is the Appellants' position that this amendment has been entered or should be entered for the following reasons. This amendment changed only one  
10 word of claim 1 from "oscillations" to "jitters" for purposes of clarity and consistency. Claim 7 had, in its original form, included a jitter unit. It is clear that the Examiner treated the structure of the jitter unit as equivalent to the method step performed by it, since the FOA, on p. 2, the Examiner stated:

15               Regarding claims 1–2, they disclose the method corresponding to the apparatus claims 7–8. The method is inherent in that it simply provides the logical implementations of the structure found in claims 7–8.

Amendment D is therefore entirely consistent with the Examiner's interpretation, and simply provides additional argumentation with respect to the  
20 declaration submitted under 37 C.F.R. §1.131 and art arguments, which are repeated herein.

### SUMMARY OF THE CLAIMED SUBJECT MATTER

The use of page and line numbers and reference characters in the drawings in the following summary is provided by way of example and is in no way intended to limit the claimed subject matter unless expressly indicated.

5           In general terms, many modern hearing devices comprise a digital signal processor to process incoming sound signals that have been converted to digital signals so that the signal can be processed digitally [0007]. The digital signal processor is driven by a clock generator—however, the clock frequency is not very stable due to the fact that the small size of hearing aids prohibits the use of  
10 quartz for stability [0007]. The clock generates electromagnetic noise whose signal or overtone signals can be mistakenly read by a wireless receiver as a valid signal and therefore disrupt the receiver [0008]. Although the clock generator can be designed so that its frequencies and overtones do not lie within the frequency band of the receiver, given the lack of stability of the clock, it is  
15 possible for the clock frequency or its overtones to drift over time so that they do interfere within the receiver frequency band [0008].

To address this problem, a jitter unit is provided which introduces deliberate minor frequency oscillations to the clock signal [0020]. This deliberate destabilization leads to the energy portion of the noise signals generated being  
20 divided with the clock frequency, and their harmonics are spread over a larger frequency band, and thus the frequency-specific energy is less, resulting in the amplitude of the noise signal caused by the harmonics to lie below a receiving threshold of the receiver and thus not to interfere with the receiver [0019].

Focusing on the claim language, the present invention in independent  
25 **claim 1** is directed to a method for operating a hearing aid device or hearing device system, comprising:

acquiring an input signal with at least one input transducer 1 (Fig. 1, [0022]);

transducing the input signal into an electrical signal with the input  
30 transducer ([0022]);



converting the electrical signal into a digital signal with an A/D converter 2 ([0022]);

processing the digital signal with a digital signal processing unit 3 ([0022]);

delivering an output signal with an output transducer 4 ([0022]);

5 generating a clock signal with a clock generator 6 to control the digital signal processing unit 3 ([0022], [0025]);

generating frequency jitters 14 in the clock signal originating from the clock generator 6 ([0025]); and

at least one of transmitting and receiving a wireless transmission<sup>12, 13</sup> ([0024]) between the hearing aid device or hearing device system and a further device.

**Claim 7** is directed to a corresponding apparatus, comprising:

at least one input transducer 1 (Fig. 1, [0022]) configured to acquire an input signal and transduce it into an electrical signal;

15 an A/D converter 2 ([0022]) configured to convert the electrical input signal into a digital signal;

a digital signal processing 3 ([0022]) unit configured to process the digital signal;

20 a clock generator configured 6 to generate a clock signal to control the digital signal processing unit 3 ([0022], [0025]);

an output transducer 4 ([0022]) and at least one of a transmitting and receiving unit 12, 13 [0024]) configured to wirelessly transmit between the hearing aid device or hearing device system and a further device; and

25 a jitter unit 14 associated with the clock generator 6 configured to generate frequency oscillations in the clock signal [0025]).

**Claim 8** is directed to the hearing device wherein an internal clock signal of the clock generator is modulated with a further signal to generate the frequency oscillations of the clock signal ([0020]). **Claim 9** further refines claim 8

where the internal clock system is modulated with a sine signal. Similarly, **claim 10** further refines claim 8 where the internal clock system is modulated with a noise signal. **Claim 11** refines claim 8 wherein the frequency of the further signal lies above the audible frequency range. **Claim 12** refines claim 7 wherein the  
5 frequency of the clock signal oscillates around an average frequency. Finally, **claim 13** requires at least one of the transmitting unit and the receiving unit to be integrated into the hearing aid device.

### **GROUND OF REJECTION TO BE REVIEWED ON APPEAL**

The issues on appeal are as follows:

1. Whether the declaration under 37 C.F.R. §1.131 is sufficient to establish conception and diligence from a date prior to the filing date of the Pedersen (U.S. 5 patent publication no. 2004/0247148) reference; and (in the alternative)
2. Whether the subject matter of claims 1-14 are anticipated under 35 U.S.C. §102 or obvious under 35 U.S.C. §103(a) in view of Pedersen.

## ARGUMENT

### **ARGUMENT HEADING 1—Insufficiency of Declaration under 37 C.F.R. §1.131**

**Examiner's Position: The Applicant has not shown diligence in the completion of the invention from the time just prior to the date of the reference continuously up to the date of the filing date of the application.**

In the FOA, on p. 4, the Examiner indicated that Applicants' declaration filed on March 29, 2006, under 37 C.F.R. §1.131 had been considered, but was ineffective to overcome the Pedersen reference. On p. 5, in relevant portion, the Examiner stated:

10           The evidence submitted in insufficient to establish  
              diligence from a date prior to the date of reduction to  
              practice of the Pedersen reference to either a  
              constructive reduction to practice or an actual  
              reduction to practice.

15           The Applicant must show diligence in the completion  
              of the invention from the time just prior to the date of  
              the reference continuously up to the date of the actual  
              reduction to practice or up to the filing date of the  
              application. Evidence of diligence must be shown for  
20           the entire critical period. If there is a long interval of  
              unexplained inactivity, then diligence has not be [sic]  
              established.

25           The Applicant must show completion of the invention  
              commensurate with the extent that the whole  
              invention as claimed is shown by evidence. This  
              evidence must include:

30           1) a statement of facts;  
              2) the facts must be shown in the form of sketches,  
              blueprints, notebook entries, models, etc. for the  
              entire critical time period;

35           3) all acts relied upon must have occurred in this  
              country or a NAFTA or WTO member country after the  
              effective date of the Pedersen reference.  
              [Emphasis in original]

Appellants responded in Amendment D After Final illustrating how diligence had, in fact, been shown (the details of this response are discussed below). In the Advisory Action mailed March 16, 2007, the Examiner stated that

disallowing the declaration is proper, articulated the three ways in which an applicant can establish prior invention pursuant to 37 C.F.R. §1.131, and stated:

5                   The effective filing date for the Pedersen reference is 9/20/02. As per the requirements for 37 CFR 1.131 one of the sections would need to be satisfied. Sections A, B, or C were not satisfied since the Applicant failed at least one portion of the requirement, namely diligence is not met since there is a lapse in time between 5/22/02 and 9/30/02 where  
10                   nothing was recorded for constructive reduction to practice.

***Appellant's Position: The activities of the Appellant demonstrate conception and diligence from a time prior to the filing date of the Pedersen reference to constructive reduction to practice (filing of the application).***

15               In the previously submitted Amendment C, mailed March 24, 2006, the Applicants submitted an inventor declaration under 37 CFR §1.131 to establish conception and diligence prior to the date of the Pedersen reference. Pedersen was filed as a PCT application on September 20, 2002 (with Appellants noting that Pedersen's priority date is of no consequence under 35 U.S.C. §102(e)).

20               The declarations of Kunibert Husung and Torsten Niederdränk were filed that established:

*Conception of the invention prior to the September 20, 2002, filing date of Pedersen*

- conception by the inventor prior to May 3, 2002;

25               *Diligence of the inventor in from a time just prior to the date of the reference continuously up to the date of the filing date of the application*

- conception documented in invention disclosure report;
- invention disclosure report executed by inventor on May 3, 2002;
- invention report submitted to Siemens patent manager;
- 30               • invention report accepted and signed by patent manager on May 14, 2002;
- invention report submitted to Siemens Patent Department;
- invention report registered in the Siemens Patent Department on May 22, 2002;

- application filed in Germany (priority application) on September 30, 2002.

The Appellants did provide: 1) a statement of facts (Kunibert Husung and Torsten Niederdränk declarations); 2) facts shown in the form of sketches, etc.  
5 (the invention disclosure report) for the entire critical period (the time of creating and executing the invention report on May 3, 2002, through the filing of the application on September 30, 2002; and 3) all acts relied upon occurred in Germany, which is a WTO member country.

The difficulty in the present case in hand is that the Pedersen reference  
10 was filed on September 20, 2002, whereas the priority application was filed on September 30, 2002. This leaves only ten days in between.

Appellants note that the Examiner's primary basis for deeming the declaration insufficient is due to the lapse in time between 5/22/02 and 9/30/02. Thus, the specific issue before the Board is whether diligence has not been  
15 shown when there is a lack of evidence showing activity for a period of just over four months prior to the filing date.

Although the Appellants provided a reasoned basis as to why the documented activities from conception to constructive reduction to practice do, in fact, demonstrate diligence, the Examiner simply provided a conclusory  
20 statement that an absence of activity for just over four months failed to demonstrate diligence and did not contain any discussion addressing the merits of the Appellants' arguments. The Appellants' arguments are repeated below for consideration by the Board.

The preparation of a patent application suitable for filing is an involved and  
25 complex process. It involves a coordination between the inventors, draftsmen and patent attorneys, agents, and/or patent professionals to annotate drawings, develop proper claim scope, review prior art documents, finalize the application, and getting authorization to file the application. A four month time period for this type of activity for a large multi-national corporation, following the clearly  
30 documented level of activity occurring between May 3, 2002, and May 22, 2002, does not constitute a "long interval of unexplained inactivity", but rather is what

one would come to expect as a natural time period for activities necessary to bring an invention disclosure to its ultimate fileable form.

The period of just over four months is not an excessive period of time for a large multinational corporation who is developing many patent disclosures into applications for filing, given the extensive preparations that are required for bringing an invention disclosure into fileable form, as described above.

The fact that there are not daily memos documenting the activities related to this application from September 19, 2002, (the day immediately before the filing date of Pedersen) to September 29, 2002, (the day immediately before the filing date of the present priority document) does infer that there is a long interval of unexplained inactivity and does not serve to destroy the establishment of diligence.

For these reasons, the Appellants respectfully contend that the evidence of record *does* adequately establish an earlier conception date and a showing of diligence from prior to the filing date of the Pedersen reference to the point of constructive reduction to practice.

However, in the event that this showing is still deemed to be inadequate, the Appellants have provided below, in the alternative, a technical basis for distinguishing the Pedersen reference on the merits.

**20 ARGUMENT HEADING 2—Anticipation of Claims 1, 2, 7, 8, and 11–14 in View of Pedersen**

**Subheading 2.1 – Anticipation of claims 1 and 7**

**25 Examiner's Position: Pedersen anticipates claims 1 and 7 because it teaches each and every element of these claims. Pedersen's phase-locked-loop (PLL) teaches a jitter unit or a unit to generate frequency oscillations in the clock signal.**

In the FOA, on p. 2, the Examiner indicated that claims 1 and 2 disclose a method corresponding to the apparatus claims 7 and 8, in that the method is inherent because it simply provides a logical implementation of the structure found in claims 7 and 8. The Examiner's analysis then focused on apparatus

claims 7 and 11–13.

On pp. 2–3, the Examiner indicated how each of the elements of independent claim 7 was taught by Pedersen. Significantly, the Examiner pointed to Pedersen's PLL, discussed in paragraph 0093, as reading on the claimed jitter unit associated with the clock generator configured to generate frequency oscillations in the clock signal.

***Appellants' Position: Claims 1 and 7 are not anticipated by Pedersen because Pedersen fails to teach or suggest all elements of claims 1 and 7. Most importantly, Pedersen's PLL cannot be used to read on the jitter unit / oscillator as claimed by the independent claims of the application. Pedersen implicitly teaches away from the invention by a teaching of stabilizing the clock signal, whereas the present invention destabilizes it.***

Claims 1 and 7 are not anticipated by Pedersen because Pedersen fails to teach or suggest all elements of the independent claims. Most importantly, Pedersen's PLL cannot be used to read on the jitter unit / oscillator as claimed by the independent claims of the application. Pedersen implicitly teaches away from the invention by a teaching of stabilizing the clock signal, whereas the present invention destabilizes it.

The jitter unit 14, as claimed in the present invention, has an exact opposite effect as the PLL disclosed in Pedersen. In Pedersen, the PLL is used to stabilize the clock signal, whereas the jitter unit / oscillator of the present invention is used to destabilize the clock signal, with very differing purposes and effects.

The present invention deals with the problem of reducing an electromagnetic interference signal that is generated and emitted by a hearing device due to its clocked operation. Pedersen deals with a very different problem, which is the optimization of the power consumption in a hearing device. Pedersen proposes, among other things, that the clock frequency can be decreased to save power.

In the present invention, the destabilization of the clock signal (via the jitter mechanism) leads to the situation that both: 1) the energy portions of the



interference signals generated in the hearing aid device being distributed with the clock frequency, and 2) their harmonics being distributed on a larger frequency band, and therewith, the frequency-specific energy is reduced.

This, in turn, means that the amplitude of an interference signal caused by the harmonics lies below the reception threshold of the reception unit given a correspondingly-dimensioned fluctuation of the clock signal. Harmonics of the clock frequency therefore no longer lead to interferences given wireless reception of a signal from an external device. In general, this is advantageous in that a hearing aid device in connection with a signal transmission system for wireless signal transmission enables an interference-free communication.

The clock frequency in the invention remains (in a broad, general sense) unchanged, in contrast to Pedersen, whereby the clock frequency is adjusted corresponding to the requirements and then remains unchanged at least over a longer time span. When the clock frequency is changed (for example reduced) in Pedersen, this means that the time interval between two clock edges is always larger. This is not the case in the invention. There the time interval between two clock edges should always remain constant, on average, over a longer time span.

Of some significance, the Examiner stated, in the OA on p. 3 that Pedersen discloses a jitter unit (PLL, paragraph 0093) associated with the clock generator configured to generate frequency oscillations in the clock signal. As described in the specification of the present application, paragraphs [0017]–[0020], the jitter unit performs a function of *destabilizing* the clock signal. A stable clock signal is modulated with a further signal to produce the destabilized clock signal.

In the Advisory Action, the Examiner asserted that the features upon which the applicant relies (i.e., stability versus instability of the signal) are not recited in the rejected claims, stating that although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims.

While the Appellants acknowledge that the Examiner is permitted to give claim terms their broadest reasonable interpretation (MPEP §2111), this

interpretation must also be consistent with the interpretation that those skilled in the art would reach. *In re Cortright*, 165 F.3d 1353, 1359 (Fed. Cir. 1999), cited in MPEP §2111. The words of a claim must be given their plain and ordinary meaning, which means the ordinary and customary meaning given to the term by  
5 those of ordinary skill in the art. MPEP §2111.01.

It is well known in the art that PLL is a closed-loop feedback control system that generates and outputs a signal in relation to the frequency and phase of an input (“reference” signal), and automatically raises or lowers the frequency of a controlled oscillator unit until it is matched to the reference in both frequency  
10 and phase—it is used where it is desired to stabilize a generated signal.

This well-known usage is consistent with how Pedersen applies it. Pedersen states, in paragraph [0093], “The clock frequency of the DSP itself may be controlled by an analogue or digitally-controlled circuit, e.g., a phase locked loop PLL.” Although Pedersen’s PLL is used in a slightly more complex manner  
15 (driving the DSP by a programmable control PLL-based multiplication circuit), the overall purpose is stability of the DSP clock frequency. Clearly the PLL of Pedersen does not serve to *destabilize* the clock signal and deliberately introduce frequency variation, and therefore, it is improper for the Examiner to apply Pedersen’s teaching of the PLL circuit as reading on the jitter unit according to  
20 the present invention.

Claim 7 requires the element of a jitter unit associated with the clock generator configured to generate frequency oscillations in the clock signal. The PLL of Pedersen is configured to remove or stabilize frequency oscillations in the clock signal. Although the Examiner is permitted to broadly construe the term  
25 “jitter unit” in the present invention, it is impermissible for the Examiner to stretch that claim language to be so broad as to cover a concept that is opposite to that which is well known to those of ordinary skill in the art. It is well known that a jitter is an abrupt variation of signal characteristics, such as the interval between successive cycles or the frequency or phase of successive cycles. The ordinary  
30 meaning of this term describing a destabilizing characteristic cannot be read on

by disclosed structure describing a stabilizing characteristic. Thus, Pedersen's discussion of the PLL structure that serves to stabilize is an implicit, even if it is not an explicit, teaching away of the principle of the jitter unit that serves to destabilize in the present invention. The Examiner cannot ignore disclosure that  
5 teach away from the claims (MPEP §2141.02(VI)).

Nor can the proposed modifications change the principle operation of a reference (MPEP §2143.01(VI))—the principle of operation of the present invention is a destabilization of the clock signal (via the jitter unit). The principle of operation of Pedersen's invention is the stabilization of the clock signal (via the  
10 PLL). The Examiner, by reading Pedersen's PLL on the jitter unit of the present invention, has thus impermissibly attempted to use the Pedersen reference to change the principle of operation of the present invention as claimed.

This distinction is further highlighted when looking to the features of the dependent claims in the application. The Examiner dismisses a number of the  
15 dependent claims as either being anticipated or obvious over Pedersen because, "it is known for PLL circuits to produce modulated signals of any wave pattern" (p. 4).

Appellants contend that it is known for PLL circuits to utilize signals of any wave pattern as reference signals, but the output of a PLL, as known by those of  
20 ordinary skill in the art, is a signal that reflects a deviation from a source signal and the reference signal.

Subheading 2.2 – Anticipation of claims 2 and 8

**Examiner's Position: Pedersen anticipates claims 2 and 8 because it teaches an internal clock signal of the clock generator that is modulated  
25 with a further signal to generate the frequency oscillations of the clock signal.**

With regard to claim 8 (and claim 2 that uses corresponding language), on p. 3, the Examiner indicated that the internal clock signal of the clock generator is modulated with a further signal (produced by the PLL, paragraph 0093) to  
30 generate the frequency oscillations of the clock signal.

***Appellants' Position: Claim 2 and 8 are not anticipated by Pedersen because Pedersen fails to teach or suggest all elements of claims 1 and 7 from which claims 2 and 8 respectively depend. It would not be known from the teaching of Pedersen's PLL to have a PLL modulate the clock generator with a further signal to generate frequency oscillations of the clock signal.***

Regarding claim 8 (and claim 2 that uses corresponding language), it would not be known from the teaching of Pedersen's PLL to have a PLL modulate the clock generator with a further signal to generate frequency oscillations of the clock signal. As noted above, the purpose of a PLL is to remove frequency oscillations from a clock signal.

**Subheading 2.3 – Anticipation of claims 11–13**

***Examiner's Position: The Examiner has not presented a position with regard to the features of dependent claims 11–13.***

With regard to claims 11–13, the Examiner is silent as to how the further frequency signal lies above the audible frequency range (claim 11), how the frequency of the clock signal oscillates around an average frequency (claim 12), and how the transmitting unit and/or the receiving unit are integrated into the hearing aid device (claim 13).

***Appellants' Position: The Examiner has not sustained a prima facie case of obviousness given a complete lack of any discussion pertaining related to the limitations of dependent claims 11–13.***

With regard to **claims 11–13**, given that the Examiner has provided absolutely no discussion as to how the further frequency signal lies above the audible frequency range (claim 11), how the frequency of the clock signal oscillates around an average frequency (claim 12), and how the transmitting unit and/or the receiving unit are integrated into the hearing aid device (claim 13), the Appellants respectfully assert that the Examiner has failed to establish a prima facie case of obviousness with respect to these claims.

***ARGUMENT HEADING 3–Obviousness of Claims 3, 4, and 9–11 in View of Pedersen***

***Examiner's Position: It would have been obvious for one of ordinary skill in the art to use any wave pattern, such as a sine wave pattern, in the***

***invention of Pedersen for improving the clock signal***

On pp. 3–4, the Examiner applied an obviousness standard to claims 3–6, 9, and 10, observing that claims 3–6 disclose a method corresponding to the apparatus claims 9–12, noting that the method is inherent in that it simply  
5 provides the logical implementation of structure found in claims 9–12.

With regard to claim 9, the Examiner stated, on p. 4, that although Pedersen does not specifically teach that the internal clock system is modulated with a sine signal, it is known for PLL circuits to produce a modulated signal of any wave pattern for beneficially adjusting the signal of the clock up and down,  
10 and therefore, it would have been obvious for one of ordinary skill in the art to use any wave pattern, such as a sine wave pattern, in the invention of Pedersen, for improving the clock signal.

With regard to claim 10, the Examiner similarly observed that Pedersen does not teach that the clock system is modulated with a noise signal, but noted  
15 that it is known for PLL circuits to produce a noise signal and to beneficially control this noise signal for increasing or decreasing the amount of jitter. The Examiner concluded that it would have been obvious to one of ordinary skill in the art to use the noise signal produced by the PLL circuit of Pedersen to increase or decrease the amount of jitter produced.

20 In responding to the Appellants' Amendment after final, the Examiner stated:

25 With respect to the Applicant arguments pertaining to the different problems being solved between the Applicant and Pedersen, it is noted that the features upon which the applicant relies (i.e., stability versus instability of the signal) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. [citation omitted].

30 ***Appellants' Position: A PLL, which the Examiner has equated with the claimed jitter unit, cannot be used to modulate a signal with any specific characteristic outside of its role of creating a phase-locked loop, and therefore, it would not be obvious to one of ordinary skill in the art to use***

***the teaching of Pedersen to teach or suggest using the PLL to modulate the clock signal with a sine signal, noise signal, or with a frequency above any particular predefined value.***

A PLL, which the Examiner has equated with the claimed jitter unit, cannot  
5 be used to modulate a signal with any specific characteristic outside of its role of  
creating a phase-locked loop, and therefore, it would not be obvious to one of  
ordinary skill in the art to use the teaching of Pedersen to teach or suggest using  
the PLL to modulate the clock signal with a sine signal, as claimed in claim 9, a  
noise signal, as claimed in claim 10, or with a frequency above any particular  
10 predefined value, as claimed in claim 11. It would make no sense to use a PLL in  
such a manner if its role is to create a phase-locked loop. One of ordinary skill in  
the art would not utilize Pedersen's PLL in such a manner, as it would make no  
sense to do so.

For the above reasons, Appellants respectfully contend that none of the  
15 claims of the present invention are anticipated nor obvious in view of the  
disclosure of Pedersen.

### CONCLUSION

For the above reasons, Appellants respectfully submits that the Examiner is in error in law and in fact in rejecting claims 1–14 based on the teachings of Pedersen. Reversal of the rejection of all of those claims is justified, and the  
5 same is respectfully requested.

The previous Appeal Brief was accompanied by an authorization to charge the Applicants' representative's credit card in the amount of \$500.00, as required by 37 C.F.R. §41.20(b)(2). It is believed that no additional fee is due for this Resubmitted Brief. However, if necessary, the Commissioner is hereby  
10 authorized to charge any additional fees which may be required to or credit any overpayments to account No. 501519.

Respectfully submitted,

15

/Mark Bergner/ (Reg. No. 45,877)

Mark Bergner

SCHIFF HARDIN, LLP

Patent Department

6600 Sears Tower

20

233 South Wacker Drive

Chicago, Illinois 60606-6473

(312) 258-5779

Attorneys for Appellant

**Customer No. 26574**

25

## APPENDIX A CLAIMS INVOLVED IN THE APPEAL

1. (previously presented) A method for operating a hearing aid device or hearing  
5 device system, comprising:
- acquiring an input signal with at least one input transducer;
  - transducing the input signal into an electrical signal with the input  
transducer;
  - converting the electrical signal into a digital signal with an A/D converter;
  - 10 processing the digital signal with a digital signal processing unit;
  - delivering an output signal with an output transducer;
  - generating a clock signal with a clock generator to control the digital signal  
processing unit;
  - 15 generating frequency jitters in the clock signal originating from the clock  
generator; and
  - at least one of transmitting and receiving a wireless transmission between  
the hearing aid device or hearing device system and a further  
device.
- 20 2. (original) The method according to claim 1, further comprising modulating an  
internal clock signal generated by the clock generator with a further signal to  
generate the frequency oscillations.
3. (original) The method according to claim 2, wherein the internal clock signal is  
25 modulated with a sine signal.
4. (original) The method according to claim 2, wherein the internal clock signal is  
modulated with a noise signal.



5. (original) The method according to claim 2, wherein the frequency of the further signal lies above an audible frequency range.

5 6. (original) The method according to claim 1, wherein the frequency of the clock signal oscillates around an average frequency.

7. (original) A hearing aid device or hearing device system, comprising:

10           at least one input transducer configured to acquire an input signal and  
              transduce it into an electrical signal;  
              an A/D converter configured to convert the electrical input signal into a  
              digital signal;  
              a digital signal processing unit configured to process the digital signal;  
              a clock generator configured to generate a clock signal to control the  
15           digital signal processing unit;  
              an output transducer and at least one of a transmitting and receiving unit  
              configured to wirelessly transmit between the hearing aid device or  
              hearing device system and a further device; and  
              a jitter unit associated with the clock generator configured to generate  
20           frequency oscillations in the clock signal.

8. (original) The hearing aid device or hearing device system according to claim 7, wherein an internal clock signal of the clock generator is modulated with a further signal to generate the frequency oscillations of the clock signal.

25

9. (original) The hearing aid device or hearing device system according to claim 8, wherein the internal clock system is modulated with a sine signal.

10. (original) The hearing aid device or hearing device system according to claim 8, wherein the internal clock system is modulated with a noise signal.
- 5 11. (original) The hearing aid device or hearing device system according to claim 8, wherein the frequency of the further signal lies above the audible frequency range.
12. (original) The hearing aid device or hearing device system according to claim 10 7, wherein the frequency of the clock signal oscillates around an average frequency.
13. (original) The hearing aid device according to claim 7, wherein at least one of the transmitting unit and the receiving unit is integrated into the hearing aid 15 device.
14. (original) The hearing device system according to claim 7, further comprising a further hearing aid device and at least one of a further external transmitting unit and receiving unit connected with the further hearing aid device.

**APPENDIX B  
EVIDENCE APPENDIX**

**DECLARATION UNDER 37 CFR 1.131**

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE  
COMBINED DECLARATION UNDER 37 C.F.R. §1.131 OF KUNIBERT HUSUNG  
AND TORSTEN NIEDERDRÄNK

APPLICANT:	Husung, et al.	DOCKET NO:	P03,0413
SERIAL NO.:	10/675,304	ART UNIT:	2646
FILED:	September 30, 2003	EXAMINER:	Dabney, Phylesha Larvinia
CONF. NO.:	5359		
TITLE:	HEARING AID DEVICE OR HEARING DEVICE SYSTEM WITH A CLOCK GENERATOR		

Mail Stop Amendment  
Commissioner for Patents  
PO Box 1450  
Alexandria, VA 22313-1450

DECLARATION OF KUNIBERT HUSUNG

Dear Sir:

I, Kunibert Husung, declare and state as follows.

I am the person identified as an inventor for the above-referenced United States patent application.

Prior to May 3, 2002, I conceived a part of the subject matter claimed in the above-referenced United States patent application and reduced my conception to writing in an Invention Disclosure Report on May 3, 2002, which is attached as Appendix A to this Declaration. An English translation of the relevant portions of this Report is attached as Appendix B to this Declaration.

From the English translation of this Report, it can be seen that the title of the invention is "MODULATION OF THE SYSTEM CLOCK IN DIGITAL HEARING AID DEVICES FOR IMPROVEMENT OF THE COMPATIBILITY WITH FM SYSTEMS

SIMULTANEOUSLY OPERATING AT THE HEARING AID DEVICE”, and that the date of execution is May 3, 2002. This is present on page 1 of the Report of Appendix A.

I submitted this Invention Disclosure Report to the patent manager of Siemens Audiologische Technik GmbH, Mr. Frank Beck, whose signature is located in the rightmost box under section I of the Report of Appendix A, under the letters AEIP (Mr. Beck’s department) with the date, May 14, 2002, the Report was submitted to him.

The Report of Appendix A further identifies a registration stamp in the lower right-hand corner of page 1, identifying the date, May 22, 2002, that this report was registered in the Patent Department of Siemens.

I conceived a portion of the subject matter explained in the Report in Appendix A (translation in Appendix B) and claimed in the above-referenced United States Patent and Trademark Office patent application (claims attached in Appendix C).

From these documents, it can be seen that the invention in this application was reduced to practice by at least the date of May 5, 2002, which is a date earlier than the effective date of the Pedersen reference (U.S. Publication Number 2004/0247148 A1), which was filed September 20, 2002, as a PCT application. (cover sheet attached in Appendix E).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both,

under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issued thereon, or any patent to which this verified statement is directed.

Kunibert Husung  
Kunibert Husung

MARCH 13, 2006  
Date

## DECLARATION OF TORSTEN NIEDERDRÄNK

Dear Sir:

I, Torsten Niederdränk, declare and state as follows.

I am the person identified as an inventor for the above-referenced United States patent application.

Prior to May 3, 2002, I conceived a part of the subject matter claimed in the above-referenced United States patent application and reduced my conception to writing in an Invention Disclosure Report on May 3, 2002, which is attached as Appendix A to this Declaration. An English translation of the relevant portions of this Report is attached as Appendix B to this Declaration.

From the English translation of this Report, it can be seen that the title of the invention is "MODULATION OF THE SYSTEM CLOCK IN DIGITAL HEARING AID DEVICES FOR IMPROVEMENT OF THE COMPATIBILITY WITH FM SYSTEMS SIMULTANEOUSLY OPERATING AT THE HEARING AID DEVICE", and that the date of execution is May 3, 2002. This is present on page 1 of the Report of Appendix A.

I submitted this Invention Disclosure Report to the patent manager of Siemens Audiologische Technik GmbH, Mr. Frank Beck, whose signature is located in the rightmost box under section I of the Report of Appendix A, under the letters AEIP (Mr. Beck's department) with the date, May 14, 2002, the Report was submitted to him.


⇒ Hr. Sporer


The Report of Appendix A further identifies a registration stamp in the lower right-hand corner of page 1, identifying the date, May 22, 2002, that this report was registered in the Patent Department of Siemens.

I conceived a portion of the subject matter explained in the Report in Appendix A (translation in Appendix B) and claimed in the above-referenced United States Patent and Trademark Office patent application (claims attached in Appendix C).

From these documents, it can be seen that the invention in this application was reduced to practice by at least the date of May 5, 2002, which is a date earlier than the effective date of the Pedersen reference (U.S. Publication Number 2004/0247148 A1), which was filed September 20, 2002, as a PCT application. (cover sheet attached in Appendix E).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application; any patent issued thereon; or any patent to which this verified statement is directed.

  
Torsten Niederdränk

  
Date



APPENDIX A  
INVENTION DISCLOSURE REPORT

Später  
SEP. 2002

MED SAT 16 ALL G DE

<b>Vertraulich!</b> <b>Bitte verschlossen weitersenden!</b>	<b>ERFINDUNGSMELDUNG</b> an Siemens AG bzw. Beteiligungsgesellschaft Bereits vorab an ZT PA übermittelt per FAX <input type="checkbox"/> Wenn ja - bitte <b>unbedingt</b> ankreuzen!	Aktenzeichen der PA <b>2002 15801A</b> <b>2002E08344 DE</b>
Ich/Wir (Vor- und Nachname der/des Erfinder[s] - weitere Angaben und Unterschrift[en] letzte Seite) <b>Kunibert Husung, Torsten Niederdränk</b>	Anzahl der Erfinder:  <b>2</b>	Datum der Ausfertigung:  <b>03.05.2002</b>
melde[n] hiermit die auf den folgenden Seiten vollständig beschriebene Erfindung mit der Bezeichnung: <b>Modulation der Systemclock bei digitalen Hörhilfegeräten zur Verbesserung der Kompatibilität mit gleichzeitig am Hörhilfegerät betriebenen FM-Systemen</b>		
<b>I. An Vorgesetzten der/des Erfinder[s]</b>  Herrn/Frau <b>Wolf</b> <span style="float: right;"><b>AE</b></span> <div style="text-align: right; font-size: small;">(Dienststelle)</div> mit der Bitte, die nachstehenden Fragen zu beantworten: a) Wann ging die Erfindungsmeldung bei Ihnen ein? <span style="float: right;">→</span> b) Geht die Erfindung auf öffentlich geförderte Arbeiten zurück? <input type="checkbox"/> nein <input type="checkbox"/> ja, Vorhaben: _____ c) Gibt es ein zugehöriges internes FuE-Projekt? <input type="checkbox"/> nein <input type="checkbox"/> ja, Projekt: _____		Eingang am:  <div style="text-align: center; font-weight: bold;">AEIP</div> <div style="text-align: center;">14. Mai 2002</div> <div style="text-align: center; font-family: cursive;">Be</div> <div style="text-align: center; font-weight: bold;">BECK</div> <div style="font-size: small;">Ab Eingang läuft gesetzliche Frist!</div>
Nur bei ZT-Erfindungen auszufüllen: Projekt-Nr. _____ Titel: _____ Kerntechnologie: _____ <input type="checkbox"/> Entwicklungsprojekt   im Interesse von Bereich: _____ Ansprechpartner: _____ <input type="checkbox"/> Forschungsprojekt		
d) Anmeldung wird empfohlen <input type="checkbox"/> nein <input type="checkbox"/> ja Kosten trägt (Organisationseinheit): _____ <input type="checkbox"/> Die Erfindung betrifft nicht unser Interessengebiet. Es sind noch folgende Dienststellen zu befragen: _____  <div style="display: flex; justify-content: space-between; font-size: small;"> <span>(Datum)</span> <span>(Unterschrift des Vorgesetzten)</span> </div>		<div style="border: 1px solid black; padding: 2px; font-size: small;">Dringlichkeitsvermerk</div>  <div style="font-size: 2em; font-family: cursive; transform: rotate(-15deg); position: absolute; right: 0; bottom: 0;">Inanspruchnahme ✓</div>
<b>II. Bitte wegen gesetzlicher Frist sofort weiterleiten an</b>  Siemens AG ZT PA (Patentabteilung)  Standort: _____ <div style="text-align: center; font-size: small;">(z. B.: Mch P/Ri, Erf S, Bln N, Khe R)</div> zur weiteren Veranlassung.		Eingang am:  <div style="border: 1px solid black; padding: 5px; text-align: center; font-weight: bold; font-size: 1.2em;">CT IPS AE</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">Eingang <b>22 Mai 2002</b></div> <div style="border: 1px solid black; padding: 5px; text-align: center; font-weight: bold;">GR</div>

1. Welches technische Problem soll durch Ihre Erfindung gelöst werden?
2. Wie wurde dieses Problem bisher gelöst?
3. In welcher Weise löst Ihre Erfindung das angegebene technische Problem (geben Sie Vorteile an)?
4. Worin liegt der erfinderische Schritt?
5. Ausführungsbeispiel[e] der Erfindung.

1. Betreibt man digitale Hörhilfesysteme zusammen mit analogen FM-Systemen, kann es zu Wechselwirkungen zwischen Beiden kommen. Die Wahrscheinlichkeit einer nachteiligen Beeinflussung des FM-Systems ist gegeben, wenn das hochfrequente Störspektrum als Folge der digitalen Signalverarbeitung genau in den Empfangsbereich des FM-Empfängers fällt. Die Clock eines digitalen Hörhilfesystems ist meistens nicht sehr stabil, Schwingquarze zur Stabilisierung der Clock können wegen ihrer Größe nicht verwendet werden. Die Clockfrequenz ist folglich geringfügig temperatur- und versorgungsspannungsabhängig, sie ist nur quasistabil. Somit kann ein FM-Empfänger durch ein Pseudoträgersignal, hervorgerufen durch die Oberwellen der langsam driftenden Clockfrequenz des Digitalteils des Hörhilfesystems, ansprechen obwohl gar kein reales frequenz-, phasen- oder amplitudenmoduliertes Empfangssignal vorhanden ist.

2. Bisher wurde über aufwendige Filterstufen weitgehend unzureichend versucht, die im Hörgerät bereits bestehenden schmalbandigen Störkomponenten, die sich über die harmonischen Komponenten der Endstufengrundfrequenz bis hinein in den Frequenzbereich einiger hundert Megahertz erstrecken, zu eliminieren bzw. im Hörgerät zu lokalisieren. Dennoch läßt sich eine hochfrequente Abstrahlung nicht vollständig vermeiden, was teilweise zu Störungen beim Betrieb von FM-Systemen führt. Geeignete Abschirmmaßnahmen am Hörhilfegerät bringen Abhilfe gegenüber dieser hochfrequenten Abstrahlung. Alle Maßnahmen zusammen sind sehr aufwendig und teuer.

3. Das Problem der schmalbandigen Emissionen ergibt sich aus der Realisierung der Hörgeräteendstufe und der Signalverarbeitungseinheit, die abhängig sind von einer präzise definierten Systemclock. Im Rahmen dieser Erfindung wird nun ein geringfügiger Frequenzjitter auf diese Systemclock aufgebracht, der dafür sorgt, daß die Frequenz dieser Systemsignale nicht konstant bei einem bestimmten Wert liegt, sondern um eine Mittenfrequenz herum moduliert wird. Dies führt dazu, daß sowohl die Energieanteile der Systemclock als auch deren Harmonische auf ein größeres Frequenzband verteilt wird und damit die frequenzspezifische Energie geringer wird. Dabei ist darauf zu achten, daß die Modulation mit einem Signal (z.B. Sinus- oder Rauschsignal) erfolgt, dessen Frequenzkomponenten deutlich oberhalb des Audiofrequenzbereiches liegen und damit in diesem keine zusätzlichen Verzerrungen oder ein verstärktes Rauschen entsteht. Vorteilhafterweise wird eine Modulationsform verwendet, deren zeitliche Varianz um den Mittelwert auf kurze Perioden beschränkt ist, sodaß nach einer Ableitung der Taktsignale für den Audiofrequenzbereich von einem clockstabilen System ausgegangen werden kann.

4. Modulation des Systemclocksignals in einem digitalen Hörgerätesystem mit Class-D-Endstufe zur Reduktion der elektromagnetischen Emissionen.

5. siehe Blockschaltbild!

6. Zur weiteren Erläuterung sind als Anlagen beigefügt:

- |   |  |
|---|--|
| 1 | Blatt der Darstellung eines oder mehrerer Ausführungsbeispiele der Erfindung;<br>(falls möglich, Zeichnungen im PowerPoint- oder Designer-Format anfertigen) |
| 4 | Blatt zusätzliche Beschreibungen (z. B. Laborberichte, Versuchsprotokolle);  |
|   | Blatt Literatur, die den Stand der Technik, von dem die Erfindung ausgeht, beschreibt; *)  |
| 1 | sonstige Unterlagen (z. B. Disketten, insbesondere mit Zeichnungen der Ausführungsbeispiele):  |

\*) Bitte Fotokopien oder Sonderdrucke aller zitierten Veröffentlichungen (Aufsätze vollständig; bei Büchern die relevanten Kapitel) mit vollständigen bibliographischen Daten beifügen.

7. Welche Dienststellen sind an der Erfindung interessiert? SAT GmbH

8. Wurde die Erfindung bereits erprobt (Durchführung von Versuchen, Anfertigungen von Mustern)?

☐ nein ☒ ja, Versuchsaufbau: Prisma HdO mit Micro-Link (FM-Empfänger)

9. Für welche Erzeugnisse ist die Erfindung anwendbar? Hörhilfegeräte, möglicherweise auch Implantate

10. Ist die Anwendung der Erfindung vorgesehen?

☐ nein ☒ ja, Digital4

11. Ist ein auf der Erfindung beruhendes Erzeugnis geliefert oder ist eine Lieferung beabsichtigt?

☐ nein ☒ ja, (voraussichtlich) April 2004; Bezeichnung des Erzeugnisses: \_\_\_\_\_

12. Ist eine Veröffentlichung der Erfindung beabsichtigt oder bereits erfolgt?

☒ nein ☐ ja, (voraussichtlich) \_\_\_\_\_ in Buch, Zeitschrift: \_\_\_\_\_

13. Ist eine Mitteilung der Erfindung an Firmenfremde beabsichtigt oder bereits erfolgt?

☒ nein ☐ ja, (voraussichtlich) \_\_\_\_\_ an \_\_\_\_\_

14. Es wird gebeten, soweit möglich, die folgenden Kriterien abzuschätzen:

**a Umgehungsschwierigkeit für Wettbewerber**

Gleichwertige Alternativen

- ☐ praktisch nicht realisierbar  
☒ erfordern Aufwand  
☐ problemlos realisierbar

**b Benutzungsattraktivität für Wettbewerber**

Wettbewerberinteresse

- ☒ überragend  
☐ durchschnittlich  
☐ minimal


**c Nachweis einer Wettbewerbernutzung**

Benutzungsnachweis


- ☒ problemlos möglich  
☐ aufwendig  
☐ praktisch unmöglich

**u Benutzung im Hause**

- ☒ (voraussichtlich) ja  
☐ offen  
☐ unwahrscheinlich




Hörhilfegerät mit Clock-Jitter-Generator



Date: 30.APR.2002 17:08:05

Empfangsträgersignal (ungestört)



Date: 30.APR.2002 17:04:56

Empfangsträgersignal überlagert mit Störspektrum




RBW 300 kHz  
VBW 1 MHz  
SWT 2.5 ms

Ref -20 dBm

Att 10 dB

VBW 1 MHz

SWT 2.5 ms



Center 174 MHz


1 MHz/

Span 10 MHz

Date: 30.APR.2002 17:42:22

# Störspektrum







Date: 30.APR.2002 17:42:49

# Störspektrum mit Clock-Jitter-Einfluß

## 15. Angaben zur Person des/der Erfinder[s] (Erfinder 1 - 4 hier eintragen. Für weitere Erfinder bitte Zusatzblatt beifügen):

Name	Husung	Niederdränk		
Geburtsname	Husung	Niederdränk		
Vorname	Kunibert	Torsten		
APD/Personalnummer *)	757/145532	485/301370		
Ist dies Ihre erste Erfindungs- meldung an ZT PA?	<input type="checkbox"/> ja <input checked="" type="checkbox"/> nein	<input type="checkbox"/> ja <input checked="" type="checkbox"/> nein	<input type="checkbox"/> ja <input type="checkbox"/> nein	<input type="checkbox"/> ja <input type="checkbox"/> nein
akad. Grad/Titel/Beruf	Dipl. Ing. (TH)	Dr. Ing.		
zum Zeitpkt. der Erfindung: Werk- stud./Diplomand/Doktorand?	ja <input type="checkbox"/> bitte Vertrags- kopie beifügen	ja <input type="checkbox"/> bitte Vertrags- kopie beifügen	ja <input type="checkbox"/> bitte Vertrags- kopie beifügen	ja <input type="checkbox"/> bitte Vertrags- kopie beifügen
Tätigkeit/Stellung im Betrieb (z.B. Laborvorsteher u.ä.)	Entwicklung	Entwicklung		
Arbeitgeber falls nicht Siemens AG	SAT GmbH	SAT GmbH		
Bereich	Audiologische Technik	Audiologische Technik		
Abteilung	AEL	AEBT		
Standort	ERL M GE	ERL M GE		
Telefon (Amt)	09131/308-332	09131/308-354		
Telefax (Amt)	09131/308-365	09131/308-1902		
E-Mail	kunibert.husung@siemens.com	torsten.niederdränk@siemens.com		
Staatsangehörigkeit (falls nicht deutsche)				
Privatanschrift Straße, Haus-Nr.	Schenkstr. 67	Koessweg 11		
Postleitzahl, Wohnort	91052 Erlangen	91056 Erlangen		
Geburtsdatum	27.07.1958	23.03.67		
16. Liegt die Erfindung auf a) Ihrem Arbeitsgebiet? b) einem anderen Arbeitsge- biet Ihres Arbeitgebers?	<input checked="" type="checkbox"/> ja <input type="checkbox"/> nein <input type="checkbox"/> ja <input checked="" type="checkbox"/> nein	<input checked="" type="checkbox"/> ja <input type="checkbox"/> nein <input type="checkbox"/> ja <input checked="" type="checkbox"/> nein	<input type="checkbox"/> ja <input type="checkbox"/> nein <input type="checkbox"/> ja <input type="checkbox"/> nein	<input type="checkbox"/> ja <input type="checkbox"/> nein <input type="checkbox"/> ja <input type="checkbox"/> nein
17. Welchen Anteil an der Erfindung haben Sie?	50 %	50 %	%	%
18. Wurde oder wird die Erfin- dung auch als VV gemeldet?	<input type="checkbox"/> ja <input checked="" type="checkbox"/> nein	<input type="checkbox"/> ja <input checked="" type="checkbox"/> nein	<input type="checkbox"/> ja <input type="checkbox"/> nein	<input type="checkbox"/> ja <input type="checkbox"/> nein
19. Falls Sie die Erfindung als freie Erfindung an- sehen, bitte begründen:				
20. Meines/unseres Wissens sind keine weiteren Per- sonen an der Erfindung be- teiligt.	 (Unterschrift)	 (Unterschrift)	 (Unterschrift)	 (Unterschrift)

\*) Bitte aus Firmenausweis oder Gehaltsabrechnung entnehmen

APPENDIX B  
ENGLISH TRANSLATION OF INVENTION DISCLOSURE REPORT

\*\*\*\*\*

**Siemens AG**  
**New Case No. P03,0413 (26965-3045)**  
**Client Reference No. 2002 15801/2002E08344 DE**  
**Inventor: Husung et al.**  
**Invention Disclosure**

**MODULATION OF THE SYSTEM CLOCK IN DIGITAL HEARING AID  
DEVICES FOR IMPROVEMENT OF THE COMPATIBILITY WITH FM  
SYSTEMS SIMULTANEOUSLY OPERATING AT THE HEARING AID  
DEVICE**

Inventors: Husung, Kunibert; Niederdränk, Torsten  
Dispatched on: 3 May 2002  
Submitted to the superiors of the inventors on: 14 May 2002  
Forwarded to Siemens AG (Patent Department) on: 22 May 2002

1. Which technical problem should be solved by your invention?
2. How was the problem previously solved?
3. In what manner does your invention solve the specified technical problem (give advantages)?
4. Wherein lies the inventive step?
5. Exemplary embodiment(s) of the invention.

1. If digital hearing device systems are operated together with analog FM systems, it can lead to interactions between the two. The probability of a disadvantageous influencing of the FM system is present when the radio-frequency interference spectrum falls precisely in the reception range of the FM receiver as a result of the digital signal processing. The clock of a digital hearing device system is for the most part not very stable; oscillating crystals cannot be used to stabilize the clock due to their size. The clock frequency is consequently slightly temperature- and supply voltage-dependent; it is only quasi-stable. An FM receiver can thus be activated by a pseudo-carrier signal (caused by the harmonics of the slowly drifting clock frequency of the digital part of the hearing device system) although no real frequency-, phase- or amplitude-modulated reception signal is present at all.

2. Previously it was attempted (for the most part insufficiently) via elaborate filter stages to eliminate the narrow-band interference components already existing in the hearing device (which extend across the harmonic components of the end-stage base frequency up into the frequency range of some hundred megahertz) or, respectively, to localize said interference components in the hearing device.

Nevertheless, a radio-frequency emission cannot be wholly prevented, which leads in part to interferences in the operation of FM systems. Suitable shielding measures at the hearing aid device bring relief from this radio-frequency emission. All measures together are very elaborate and expensive.


3. The problem of the narrow-band emissions results from the realization of the hearing device end stage and of the signal processing unit that are dependent on a precisely-defined system clock. In the framework of this invention, a slight frequency

jitter is now applied to this system clock that ensures that the frequency of these system signals do not constantly lie at a specific value, but rather are modulated around a middle frequency. This leads to the situation that both the energy portions of the system clock and their harmonics are distributed on a larger frequency band, and therewith the frequency-specific energy is less. It is thereby to be noted that the modulation ensues with a signal (for example sine or noise signal) whose frequency components lie distinctly above the audio frequency range, and therewith no additional distortions or an amplified noise are created in said audio frequency range. A modulation form is advantageously used whose temporal variance around the average value is limited to short periods, such that a clock-stable system can be assumed after a derivation of the clock signals for the audio frequency range.

4. Modulation of the system clock signal in a digital hearing device system with class-D end stage for reduction of the electromagnetic emissions.

5. See block diagram!


7. Which service providers are interested in the invention? SAT GmbH
8. Was the invention already tested?  
☒ Yes      Test design: Prisma HdO with Micro-Link (FM receiver)
9. For which products is the invention applicable? Hearing aid devices, possibly also implants
10. Is the application of the invention provided?  
☒ Yes      Digital 4
11. Is a product based on the invention supplied, or is a supply intended?  
☒ Yes (estimated)      April 2004
12. Is a publication of the invention intended or has it already occurred?  
☒ No
13. Is a communication of the invention to outside firms intended or has it already occurred?  
☒ No
14. To the extent possible, please estimate the following criteria:
- a      Circumvention possibility for competitors  
        Equivalent alternatives  
        ☒ expenditure required
  - b      Usage attractiveness for competitors  
        Competitor interest  
        ☒ excellent
  - c      Detection of usage by competitor  
        Usage detection  
        ☒ possible without any problem
  - u ..... Usage in house .....  
        ☒ (anticipated) yes



Date: 30.APR.2002 17:08:05


Reception carrier signal (undisrupted)





Date: 30.APR.2002 17:04:56

Reception carrier signal overlaid with interference spectrum




Date: 30.APR.2002 17:42:22

Interference spectrum




Ref -20 dBm Att 10 dB RBW 300 kHz  
VBW 1 MHz SWT 2.5 ms



Date: 30.APR.2002 17:42:49

Interference spectrum with clock jitter influence



Hearing aid device with clock jitter generator

APPENDIX C  
SUBJECT MATTER OF U.S. PATENT APPLICATION 10/675,304

1. A method for operating a hearing aid device or hearing device system, comprising:

acquiring an input signal with at least one input transducer;

transducing the input signal into an electrical signal with the input transducer;

converting the electrical signal into a digital signal with an A/D converter;

processing the digital signal with a digital signal processing unit;

delivering an output signal with an output transducer;

generating a clock signal with a clock generator to control the digital signal processing unit;

generating frequency oscillations in the clock signal originating from the clock generator; and

at least one of transmitting and receiving a wireless transmission between the hearing aid device or hearing device system and a further device.

2. The method according to claim 1, further comprising modulating an internal clock signal generated by the clock generator with a further signal to generate the frequency oscillations.

3. The method according to claim 2, wherein the internal clock signal is modulated with a sine signal.

4. The method according to claim 2, wherein the internal clock signal is modulated with a noise signal.

5. The method according to claim 2, wherein the frequency of the further signal lies above an audible frequency range.

6. The method according to claim 1, wherein the frequency of the clock signal oscillates around an average frequency.

7. A hearing aid device or hearing device system, comprising:  
at least one input transducer configured to acquire an input signal and transduce it into an electrical signal;  
an A/D converter configured to convert the electrical input signal into a digital signal;  
a digital signal processing unit configured to process the digital signal;  
a clock generator configured to generate a clock signal to control the digital signal processing unit;  
an output transducer and at least one of a transmitting and receiving unit configured to wirelessly transmit between the hearing aid device or hearing device system and a further device; and  
a jitter unit associated with the clock generator configured to generate frequency oscillations in the clock signal.

8. The hearing aid device or hearing device system according to claim 7, wherein an internal clock signal of the clock generator is modulated with a further signal to generate the frequency oscillations of the clock signal.

9. The hearing aid device or hearing device system according to claim 8, wherein the internal clock system is modulated with a sine signal.

10. The hearing aid device or hearing device system according to claim 8, wherein the internal clock system is modulated with a noise signal.

11. The hearing aid device or hearing device system according to claim 8, wherein the frequency of the further signal lies above the audible frequency range.

12. The hearing aid device or hearing device system according to claim 7, wherein the frequency of the clock signal oscillates around an average frequency.

13. The hearing aid device according to claim 7, wherein at least one of the transmitting unit and the receiving unit is integrated into the hearing aid device.

14. The hearing device system according to claim 7, further comprising a further hearing aid device and at least one of a further external transmitting unit and receiving unit connected with the further hearing aid device.

APPENDIX D  
COVER PAGE OF PEDERSEN PATENT PUBLICATION NO. 2004/0247148






US 20040247148A1

(19) **United States**(12) **Patent Application Publication**  
**Pedersen**(10) **Pub. No.: US 2004/0247148 A1**(43) **Pub. Date: Dec. 9, 2004**(54) **HEARING AID WITH  
PERFORMANCE-OPTIMIZED POWDER  
CONSUMPTION FOR VARIABLE CLOCK,  
SUPPLY VOLTAGE AND DSP PROCESSING  
PARAMETERS**(30) **Foreign Application Priority Data**

Sep. 21, 2001 (DK)..... PA200101365

**Publication Classification**(51) **Int. Cl.<sup>7</sup> ..... H04R 25/00**(52) **U.S. Cl. .... 381/323; 381/312**(76) **Inventor: Soren Louis Pedersen, Silkeborg (DK)****Correspondence Address:**  
**CANTOR COLBURN, LLP**  
**55 GRIFFIN ROAD SOUTH**  
**BLOOMFIELD, CT 06002**(21) **Appl. No.: 10/490,303**(22) **PCT Filed: Sep. 20, 2002**(86) **PCT No.: PCT/DK02/00615**(57) **ABSTRACT**

The invention relates to a hearing aid with optimized and controllable power consumption. The power consumption is controlled by varying the voltage level of the supply voltage and/or the frequency of the clock signal. Furthermore the invention relates to a method of optimizing the power consumption of a hearing aid, by calibrating its supply voltage and its clock frequency, and the relation between them, according to the production characteristics of the digital signal processor.



**APPENDIX C  
RELATED PROCEEDINGS APPENDIX**

There are no related proceedings associated with this appeal